

## Scientific reports from Oulujoki watercourse

1. Salojärvi, K. 1988. The effect of the stocking density of whitefish (*Coregonus lavaretus* L. *s.l.*) fingerlings on the yield in Lake Peranka, northern Finland. Finnish Fisheries Research 9, p. 407-416.
2. Salojärvi, K. 1989. Validity of scale ages determined for whitefish (*Coregonus lavaretus* L. *s.l.*) checked by microtagging in Lake Oulujärvi, northern Finland. Aqua fennica 19 (2), p. 119-122.
3. Salojärvi, K. & Huusko, A. 1990. Results of whitefish (*Coregonus lavaretus* L. *s.l.*) fingerling stocking in the lower part of the Sotkamo water course, northern Finland. Aquaculture and Fisheries Management 21. p. 229-244.
4. Salojärvi, K. & Ekholm, P. 1990. Predicting the efficiency of whitefish (*Coregonus lavaretus* L. *s.l.*) stocking from pre-stocking catch statistics. In: W.L.T. van Densen, B. Steinmetz & R. H. Hughes (Eds). Managements of freshwater fisheries. Proceedings of a symposium organized by the European Inland Fisheries Advisory Commission, Göteborg, Sweden, 31 May - 3 June 1988. Wageningen Pudoc. P. 112-126.
5. Salojärvi, K. 1991. Compensation in a whitefish (*Coregonus lavaretus* L. *s.l.*) population maintained by stocking in Lake Kallioinen, northern Finland. Finnish Fisheries Research 12, p. 65-76.
6. Salojärvi, K. 1991. Recruitment mechanisms of the vendace (*Coregonus albula* (L.)) in Lake Oulujärvi, northern Finland. Aqua Fennica 21 (2), p. 163-173.
7. Salojärvi, K. 1992. Compensation in whitefish (*Coregonus lavaretus* L. *s.l.*) populations in Lake Oulujärvi, northern Finland. Finnish Fisheries Research 13, p. 31-48.
8. Salojärvi, K. 1992. Compensation in whitefish (*Coregonus lavaretus* L. *s.l.*) population in Lake Kiantajärvi, northern Finland. Finnish Fisheries Research 13, 49-62.
9. Hyvärinen, P. and Salojärvi, K. 1991. The applicability of catch per unit effort (CPUE) statistics in fisheries management in Lake Oulujärvi, Northern Finland. In Catch Effort Sampling Strategies. I.G.Cowx (ed.). Fishing news books. p. 241-261.
10. Salojärvi, K. 1992. The role of compensatory processes in determining the yield from whitefish (*Coregonus lavaretus* L. *s.l.*) stocking in inland waters in northern Finland. Academic dissertation. Department of Zoology. University of Helsinki. P. 1-30.
11. Huusko, A. & Sutela, T. 1992. Fish predation on vendace (*Coregonus albula* L.) larvae in Lake Lentua, Northern Finland. Pol. Arch. Hydrobiol. 39, p. 381-391.

12. Auvinen, H., Vuorimies, O. & Huusko, A. 1992. Forecasting and management of vendace (*Coregonus albula* L.) stocks in Lake Lentua, Northern Finland. Pol. Arch. Hydrobiol. 39, p. 789-795.
13. Sutela, T. & Huusko, A. 1994. Digestion of zooplankton in the alimentary tract of vendace (*Coregonus albula* L.) larvae. J. Fish. Biol. 44, p. 591-596.
14. Sutela, T. & Huusko, A. 1995: Impacts of water level regulation on the early life of vendace (*Coregonus albula* L.). - In: Luczynski, M. (ed.): Biology and Management of Coregonid Fishes. International Symposium on Biology and Management of Coregonid Fishes 1993. - Archiv für Hydrobiologie Special Issues Advances in Limnology 46:465-472.
15. Vehanen, T. 1995. Factors influencing the yield of brown trout, *Salmo trutta* m. *lacustris* L., in northern Finnish lakes. Fisheries Management and Ecology 2. 121-134.
16. Sutela, T. & Huusko, A. 1995. Impacts of water level regulation on the early life of vendace (*Coregonus albula* L.). Arch. Hydrobiol. Spec. Issues Advanc. Limnol. 46, p. 465-472.
17. Huusko, A., Vuorimies, O. & Sutela, T. 1996. Temperature- and light-mediated predation by perch on vendace larvae. Journal of Fish Biology 49, p. 441-457.
18. Kuusela, K. & Huusko, A. 1996. Postemergence migration of stoneflies (*Plecoptera*) into the nearby forest. Ecological Entomology 21, p. 171-177.
19. Huusko, A. & Yrjänä, T. 1996. Effects of Instream enhancement structures on brown trout habitat availability in a channelized boreal river: a PHABSIM approach. Proceedings of 2th International symposium on Habitat Hydraulics, Quebec, June 1996. Volume B., p. 619-630.
20. Vehanen, T. ja Aspi, J. 1996. Classification of northern Finnish lakes and the suitability for the stocking for brown trout (*Salmo trutta* L. m. *lacustris*). Fisheries Research 27. 37-49.
21. Vehanen, T., Hyvärinen, P. ja Mäki-Petäys, A. 1996. Fish migration from two large regulated lakes to outcoming rivers monitored by hydroacoustics. Ecohydraulics 2000. Proceedings of 2nd International Symposium on Habitat Hydraulics, Quebec, June 1996. Volume B. 967-968.
22. Ruuhijärvi, J. and Hyvärinen, P. 1996. The status of pike-perch culture in Finland. J.Appl.Ichtyol. 12 (1996), 185-188.
23. Huusko, A. & Sutela, T. 1997. Minnow *Phoxinus phoxinus* predation on vendace *Coregonus albula* larvae: intersection of prey phenologies and size-based interaction. Journal of Fish Biology 50, p. 965-977.
24. Sutela, T. & Huusko, A. 1997. Food consumption of vendace (*Coregonus albula*) larvae in Lake Lentua. Journal of Fish Biology 51, p. 939-951.

25. Vehanen, T. Hyvärinen P. & Huusko A. 1998. Food consumption and prey orientation of piscivorous brown trout (*Salmo trutta*) and pikeperch (*Stizostedion lucioperca*) in a large regulated lake. *J Appl Ichtyol.* 14 (1998), 15-22.
26. Vehanen, T. Hyvärinen, P. & Aspi, J. 1998. Dispersion of stocked brown trout, *Salmo trutta m. Lacustris* (L.), and landlocked salmon, *Salmo Salar* L, from stocking sites in Lake Oulujärvi, Finland. *Fisheries Management and Ecology* 1998, 5, 177-188.
27. Vehanen, T. Hyvärinen, P. & Mäkipetäys, A. 1998. Downstream fish migration from two regulated lakes monitored by hydroacoustics. *Fisheries Management and Ecology* 1998, 5, 107-121.
28. Huusko, A. & Sutela, T. 1998. Diel feeding periodicity and influence of food availability and environmental factors on food intake of vendace (*Coregonus albula* (L.)) larvae. *Ecology of Freshwater Fish* 7, p. 69-77.
29. Sutela, T. & Huusko, A. 1998. Prey selection and the amount of edible food available for vendace (*Coregonus albula* (L.)) larvae in Lake Lentua. *Archiv für Hydrobiologie, Special Issues in Advanced Limnologie* 50, p. 39-48.
30. Vehanen, T. 1998. Ecological factors affecting the success of piscivorous salmonid (*Salmo*) stocking. *Acta Universitatis Ouluensis A* 303. 36 p.
31. Huusko, A. 1998. Exploration of potential mechanisms regulating survival in the larval stage of vendace. A piece of the vendace recruitment puzzle. *Acta Universitatis Ouluensis. A* 309, p. 1-39.
32. Sutela, T. 1998. Feeding of coregonid larvae and digestive degradation of prey zooplankton. Application of a gut segment method. *Acta Universitatis Ouluensis. A* 314, p. 1- 29.
33. Hyvärinen, P., Sutela, T., Korhonen, P. 2000. Combining fishery prohibition with stocking of landlocked salmon, *Salmo salar* L.: an effort to gain bigger yield and individual size. *Fisheries Management and Ecology* 7(6):503-514.
34. Sutela, T., Huusko, A. 2000. Varying resistance of zooplankton prey to digestion: Implications for quantifying larval fish diets. *Transactions of the American Fisheries Society* 129(2):545-551.
35. Sutela, T. & Hyvärinen, P. 2002. Diet and growth of stocked and wild 0+ pikeperch, *Stizostedion lucioperca* (L.). *Fisheries Management and Ecology* 9, 57-63.
36. Vehanen, T, Marttunen, M., Tervo, H., Kylmälä, P. & Hyvärinen, P. 2002 Management of fisheries in a large lake – for fish and fishermen. In: Cowx, I.G. (ed.) *Management and Ecology of Lake and Reservoir Fisheries*. Fishing News Books Blackwell. 299-311.
37. Sutela, T., Huusko, A., Karjalainen, J., Auvinen, H., Viljanen, M. 2002. Feeding success of vendace (*Coregonus albula* (L.)) larvae in littoral and pelagic zones. *Archiv für Hydrobiologie. Special Issues. Advances in Limnology* 57:487-495.

38. Karjalainen, J., Helminen, H., Huusko, A., Huuskonen, H., Marjomäki, T. J., Pääkkönen, J.-P., Sarvala, J., Viljanen, M. 2002. Littoral-pelagic distribution of newly-hatched vendace and European whitefish larvae in Finnish lakes. *Archiv für Hydrobiologie. Special Issues. Advances in Limnology* 57:367-382.
39. Hyvärinen, P. & Vehanen, T. 2003. Length at release affects movement and recapture of lake-stocked brown trout. *North American Journal of Fisheries Management* 23:1125-1134.
40. Vehanen, T. & Lahti, M. 2003. Movements and habitat use by pikeperch (*Stizostedion lucioperca* (L.)) in a hydropeaking reservoir. *Ecology of Freshwater Fish* 12. 203-215.
41. Hyvärinen, P. & Vehanen, T. 2004. Effect of brown trout body size on post-stocking survival and pike predation. *Ecology of Freshwater Fish* 13: 77-84.
42. Hyvärinen, P. 2004. Determining the optimal release window for lake-stocked brown trout – interactions between release size, prey availability, predation risks and fishing mortality. p 1-31. <http://ethesis.helsinki.fi/>
43. Huusko, A. & Hyvärinen, P. 2005. A high harvest rate induces a tendency to generation cycling in a freshwater fish population. *Journal of Animal Ecology* 74: 525-531.
44. Hyvärinen, P. & Huusko, A. 2005. Long-term variation in brown trout, *Salmo trutta* L., stocking success in a large lake: interplay between availability of suitable prey and size at release. *Ecology of Freshwater Fish* 14: 303-310.
45. Hyvärinen, P. & Huusko, A. 2006. Diet of brown trout in relation to variation in abundance and size of pelagic fish prey. *Journal of Fish Biology* 68: 87-98.
46. Vehanen, T., Hyvärinen, P., Johansson, K. & Laaksonen, T. 2006. Patterns of movement of adult northern pike (*Esox lucius* L.) in a regulated river. *Ecology of Freshwater Fish* 15: 154-260.
47. Hyvärinen, P., Leppäniemi, V., Johansson, K., Korhonen, P. & Suuronen, P. 2008. Stress and survival of small pike-perch *Sander lucioperca* (L.) after trawling and chilling. *Journal of Fish Biology* 72: 2677-2688.
48. Sutela, T. & Vehanen, T. 2008. Effects of water-level regulation on the nearshore fish community in boreal lakes. *Hydrobiologia* 613: 13–20.
49. Sutela, T., Rask, M., Vehanen, T. & Westermark, A. 2008. Comparison of electrofishing and NORDIC gillnets for sampling littoral fish in boreal lakes. *Lakes & Reservoirs: Research and Management* 3: 215-220.
50. Salminen, M., Koljonen, M-L., Säisä, M., Ruuhijärvi, J. 2011. Genetic effects of supportive stockings on native pikeperch populations in boreal lakes – three cases, three different outcomes. *Hereditas* 149 : 1–15.

51. Vainikka, A. & Hyvärinen, P. 2012. Ecologically and evolutionarily sustainable fishing of the pikeperch *Sander lucioperca*: Lake Oulujärvi as an example. *Fisheries Research* 113 (1): 8-20.
52. Vainikka, A., Huusko, R., Hyvärinen, P., Korhonen, P., Laaksonen, T., Koskela, J., Vielma, J., Hirvonen, H. and Salminen, M. 2012. Food restriction prior to release reduces precocious maturity and improves migration tendency of Atlantic salmon (*Salmo salar*) smolts. *Canadian Journal of Fisheries and Aquatic Sciences*. *Can. J. Fish. Aquat. Sci.* 69: 1981-1993.
53. Gruber, C., Kortet, R., Vainikka, A., Hyvärinen, P., Rantala, M. J., Pikkarainen, A., Jussila, J., Makkonen, J., Kokko, H. & Hirvonen, H. 2014: Variation in resistance to the invasive crayfish plague and immune defence in the native noble crayfish. - *Ann. Zool. Fennici* 51: 371-389.
54. Kekäläinen, J., Podgorniak, T., Puolakka, T., Hyvärinen, P. & Vainikka, A. 2014. Individually assessed boldness predicts *Perca fluviatilis* behaviour in shoals, but is not associated with the capture order or angling method. *J. Fish. Biol.* (2014) 85, 1603-1616.
55. Huttunen, Kaisa-Leena; Mykrä, Heikki; Huusko, Ari; Mäki-Petäys, Aki; Vehanen, Teppo; Muotka, Timo. 2014. Testing for temporal coherence across spatial extents: the roles of climate and local factors in regulating stream macroinvertebrate community dynamics. *Ecography* 37(6):599-608.
56. Marttila, M., Louhi, P., Huusko, A., Mäki-Petäys, A., Yrjänä, T., and Muotka, T. 2016. Long-term performance of in-stream restoration measures in boreal streams. *Ecohydrology* 9: 280–289. doi: 10.1002/eco.1634.
57. Härkönen, L., Hyvärinen, P., Niemelä, P. and Vainikka, A. 2016. Behavioural variation in Eurasian perch populations with respect to relative catchability. *Acta Ethologica*, 19: 21-31.
58. Vainikka, A., Tammela, I., Hyvärinen, P. 2016. Does boldness explain vulnerability to angling in Eurasian perch *Perca fluviatilis*? *Current Zoology* 62 (2), 109-115.
59. Louhi, P., Vehanen, T., Huusko, A., Mäki-Petäys, A. and Muotka, T. 2016. Long-term monitoring reveals the success of salmonid habitat restoration. *Canadian Journal of Fisheries and Aquatic Sciences*. DOI: 10.1139/cjfas-2015-0546
60. Sutela, T., Vehanen, T., Huusko, A. and Mäki-Petäys, A. 2016. Seasonal shift in boreal riverine fish assemblages and associated bias in bioassessment. *Hydrobiologia*. DOI 10.1007/s10750-016-2959-4.
61. Vainikka, A., Olin, M., Ruuhijärvi, J., Huuskonen, H., Eronen, R. & Hyvärinen, P. 2017. Model-based evaluation of the management of pikeperch (*Sander lucioperca*) stocks using minimum and maximum size limits. *Boreal Environment Research (KESKALA special issue)*, in press